



Rediscover the joy in the everyday

Exploring treatment for
Multifocal Motor Neuropathy (MMN)
with **GAMMAGARD LIQUID®**
[Immune Globulin Infusion (Human)] 10% Solution

What is GAMMAGARD LIQUID?

GAMMAGARD LIQUID is a ready-to-use liquid medicine that is given in a vein (intravenously) to treat multifocal motor neuropathy (MMN) in adults.

IMPORTANT SAFETY INFORMATION

What is the most important information that I should know about GAMMAGARD LIQUID?

GAMMAGARD LIQUID can cause the following serious reactions:

- Severe allergic reactions causing difficulty in breathing or skin rashes
- Decreased kidney function or kidney failure
- Blood clots in the heart, brain, lungs or elsewhere in the body
- Severe headache, drowsiness, fever, painful eye movements, or nausea and vomiting
- Dark colored urine, swelling, fatigue, or difficulty breathing

Please see additional Important Safety Information throughout, and click for [Information for Patients](#) and discuss with your HCP.

GAMMAGARD *LIQUID*
[Immune Globulin
Infusion (Human)] 10%

Redefine your MMN

GAMMAGARDLIQUID
[Immune Globulin
Infusion (Human)] 10%

Finding your new normal

Having MMN means your “everyday” has changed. Activities that seemed automatic before may have become harder, such as texting a friend, using utensils, or tying shoelaces. In short, you’ve had to redefine how you live your life.

You can decide what MMN means for you

The road to finally getting diagnosed may have been long and uncertain, and you may be wondering what’s next. Diagnosis can bring relief—there’s good news that comes with finally knowing what you have.

- While it’s not curable, MMN is treatable
- Treatment with GAMMAGARD LIQUID in clinical trials was shown to help improve or maintain muscle strength and functional ability

What is GAMMAGARD LIQUID?

GAMMAGARD LIQUID is what’s known as an Ig, or IVIg, therapy. Immunoglobulin (Ig) refers to antibodies, an important part of the body’s immune system. GAMMAGARD LIQUID is healthy Ig that’s collected from human donors and administered through an intravenous (IV) infusion—that’s why it’s referred to as IVIg.

IVIg treatment is the most commonly used treatment for MMN.

Why use GAMMAGARD LIQUID?

GAMMAGARD LIQUID is the first and only FDA-approved treatment for MMN and was shown to help with everyday tasks, such as tying your shoes, personal grooming, and working a zipper or buttons.

Together with your doctor and healthcare team, you can actively treat your MMN to help redefine how it affects your life.

IMPORTANT SAFETY INFORMATION (continued)

Who should not use GAMMAGARD LIQUID?

Do not use GAMMAGARD LIQUID if you:

- Have had a severe allergic reaction to immune globulin or other blood products.
- Have a condition called selective (or severe) immunoglobulin A (IgA) deficiency.

What should I avoid while taking GAMMAGARD LIQUID?

- GAMMAGARD LIQUID can make vaccines (like measles/mumps/rubella or chickenpox vaccines) not work as well for you. Before you get any vaccines, tell your healthcare provider (HCP) that you take GAMMAGARD LIQUID.
- Tell your HCP if you are pregnant, or plan to become pregnant, or if you are nursing.

Please see additional Important Safety Information throughout, click for [Information for Patients](#), including [Warning about Blood Clots](#), [Decreased Kidney Function](#), and [Kidney Failure](#), and discuss with your HCP.

“It was a
huge relief
for me and my family
finally having a
definite answer for
what was going on.”

- Nick

Person with MMN being treated
with GAMMAGARD LIQUID



Reestablish your routine

GAMMAGARD LIQUID
[Immune Globulin
Infusion (Human)] 10%

Improving your strength is possible

GAMMAGARD LIQUID was shown to help people with MMN improve and maintain areas of muscle strength that relate directly to your everyday.

In the largest clinical trial in MMN to date, GAMMAGARD LIQUID was shown to*:

Improve
grip strength

Reduce
disability

GAMMAGARD LIQUID was also shown to **maintain dexterity in the hands**.

**44 people with MMN were studied over a period of ~14 months. Rotated between taking a placebo (no medication) and GAMMAGARD LIQUID.*

GAMMAGARD LIQUID was shown to help with everyday tasks, including


Tying your shoes



Holding a coffee cup and utensils



Personal grooming



Working a zipper or buttons



“For me, GAMMAGARD LIQUID has really helped to improve some symptoms of my MMN. I’ve been able to keep a level of dexterity and independence.”

- Nick

Understanding possible side effects can help you plan ahead for treatment

Knowing the possible side effects of any medication is important when considering treatment.

Most common side effects

- Headache
- Muscle spasms
- Nausea
- Ear pain
- Chest discomfort
- Muscular weakness
- Sore throat
- Pain in hands or feet

These are not all the possible side effects. Talk to your HCP about any side effect that bothers you or that does not go away.

98% of infusions were completed without slowing or stopping due to side effects.

2% of GAMMAGARD LIQUID infusions were slowed or stopped, compared to 1% of placebo (no medication) infusions.

IMPORTANT SAFETY INFORMATION (continued)

What are the possible or reasonably likely side effects of GAMMAGARD LIQUID?

GAMMAGARD LIQUID can cause serious side effects. If any of the following problems occur after starting GAMMAGARD LIQUID, stop the infusion immediately and contact your HCP or call emergency services:

- Hives, swelling in the mouth or throat, itching, trouble breathing, wheezing, fainting or dizziness. These could be signs of a serious allergic reaction.
- Bad headache with nausea, vomiting, stiff neck, fever, and sensitivity to light. These could be signs of irritation and swelling of the lining around your brain.
- Reduced urination, sudden weight gain, or swelling in your legs. These could be signs of a kidney problem.
- Pain, swelling, warmth, redness, or a lump in your legs or arms. These could be signs of a blood clot.
- Brown or red urine, fast heart rate, yellow skin or eyes. These could be signs of a liver or blood problem.
- Chest pain or trouble breathing, or blue lips or extremities. These could be signs of a serious heart or lung problem.
- Fever over 100°F. This could be a sign of an infection.

Please see additional Important Safety Information throughout, click for [Information for Patients](#), including [Warning about Blood Clots](#), [Decreased Kidney Function](#), and [Kidney Failure](#), and discuss with your HCP.

Reveal the road ahead

GAMMAGARD *LIQUID*
[Immune Globulin
Infusion (Human)] 10%

You can help set your treatment plan

You may have already learned to plan your day around your MMN. Believe it or not, this is important to help you and your doctor plan ahead for treatment.

Here are some important questions to ask:

- Where will I receive my GAMMAGARD LIQUID treatment?
- What's my dosage?
- How often and when will I receive treatment?
- How long will infusions take?

It's also important to know that it's not unusual for your treatment plan to change as your needs change.

Go to gammagard.com/mmn/discussion to view an interactive discussion guide with common questions about treating your MMN with GAMMAGARD LIQUID

You and your doctor can choose where you get your infusions

Hospital



Infusion center



Home



Physician's office



You'll likely have your first infusion at a hospital or an infusion center. People who choose to get their GAMMAGARD LIQUID treatment at home usually do so because they want flexibility or have transportation issues. When deciding where to get your infusions, ask yourself:

- How far away is the clinic?
- How often will I have to receive treatment?
- Would I prefer to receive my treatments in private?
- Am I comfortable having a nurse come to my home?
- What location best fits my lifestyle?

When in doubt, speak out

Make sure you understand your doctor's recommendations for your treatment plan. Don't be afraid to ask questions and make your personal preferences known. This will help ensure you and your doctor come up with the best plan for you.

IMPORTANT SAFETY INFORMATION (continued)

What are the possible or reasonably likely side effects of GAMMAGARD LIQUID? (continued)

The most common side effects of GAMMAGARD LIQUID for MMN include:

- Headache
- Chest discomfort
- Muscle spasms
- Muscular weakness
- Nausea
- Sore throat
- Ear pain
- Pain in hands or feet

These are not all the possible side effects. Talk to your HCP about any side effect that bothers you or that does not go away.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see additional Important Safety Information throughout, click for [Information for Patients](#), including [Warning about Blood Clots](#), [Decreased Kidney Function](#), and [Kidney Failure](#), and discuss with your HCP.



Receive your treatment

GAMMAGARD LIQUID
[Immune Globulin
Infusion (Human)] 10%

Now you're ready for your first infusion

Everyone's experience is unique, but in general the process involves having an IV catheter inserted into one of your veins for an hour or more. Here are some things you can do to make the best of your infusion experience.

Before

- Plan ahead to ensure your infusions fit your schedule
- Take note of the guidance provided by your doctor or nurse as they walk you through the process
- Drink plenty of fluids
- Bring a book or other things to keep yourself occupied

During

- Get comfortable! Try to relax by reading a book or listening to music or podcasts
- Follow any directions from your infusion nurse, who will check your vital signs to make sure you are doing ok
- Make sure to tell the infusion nurse if you're experiencing any reactions or discomfort

After

- Continue to stay hydrated
- Record your infusion experience
- Follow up with your healthcare team routinely
- Inform your doctor about any side effects that bother you or do not go away

When will I feel results?

Results with any medication vary. For some people, results can be seen relatively quickly. For others, positive results can take longer to occur or may not be seen.

How long will I take GAMMAGARD LIQUID?

GAMMAGARD LIQUID is a long-term treatment, which means that in order to maintain results, you may need to continue to receive infusions. Your treatment approach and schedule may change over time to manage your symptoms and needs.



“Don't let MMN put you in a corner.
There's a lot you can do with your life even with MMN...
This isn't the end of the road.”

- Nick

You can document your progress in an experience tracker

An experience tracker can help you record, retain, and understand how your treatment is working. By sharing it with your doctor, you can partner with them to make the most informed decisions on your care.

Go to gammagard.com/mmn/tracker to download your MMN experience tracker.

Weekly Check-In				
Infusion Date: June 1	Week of June 8	Week of	Week of	Week of
Select the button under the face that best represents your feelings about each statement	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟
I could do basic activities and tasks, such as dressing or using utensils	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟
I could get around without any issues or assistance	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟
I feel that I can control my MMN	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟
I am satisfied with the results of my treatment	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟
Select the button that best sums up how you feel about your week, overall	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟	😊 😐 😞 😡 😟
Please use this space to explain your answers in more detail, as well as add any questions you want to discuss with your doctor.				

IMPORTANT SAFETY INFORMATION (continued)

What is the most important information that I should know about GAMMAGARD LIQUID?

GAMMAGARD LIQUID can cause the following serious reactions:

- Severe allergic reactions causing difficulty in breathing or skin rashes
- Decreased kidney function or kidney failure
- Blood clots in the heart, brain, lungs or elsewhere in the body
- Severe headache, drowsiness, fever, painful eye movements, or nausea and vomiting
- Dark colored urine, swelling, fatigue, or difficulty breathing

Please see additional Important Safety Information throughout, and click for [Information for Patients](#) and discuss with your HCP.

Remember you're not alone

GAMMAGARD LIQUID
[Immune Globulin
Infusion (Human)] 10%

Your support network is standing by to help

A lot of people make up your support network, from your doctor and care team to your family and friends. Keep them in the loop every step of the way by discussing how you're feeling and letting them know how they can help.

Your doctor is your partner—be a good partner to them

- Tell them about any results you notice
- Share your thoughts on any changes in your treatment goals
- Don't forget to bring up any side effects you experience
- Make sure you understand any changes in your treatment

Your friends and family can assist you with some everyday activities

Errands



Transportation



Housework



Encouragement



Cooking



Understanding insurance coverage is key to starting and continuing treatment

- Prior authorization may be required
- Keep an ongoing, open dialogue going with your healthcare team
- Keep notes and records and have them ready should any issues come up
- Don't be afraid to ask for help

Specialty pharmacies can play a key role

If you and your doctor decide you should receive your GAMMAGARD LIQUID treatment at home, a specialty pharmacy will be an important part of your network.

Your specialty pharmacy will send a nurse to your home to administer your infusions. They'll also verify your information and medication history, as well as go over safety information and make sure you are getting the right dose, as prescribed by your HCP. Additionally, they will oversee your progress with your doctor and also help you navigate insurance and financial matters, if necessary.



When you're prescribed
GAMMAGARD LIQUID, Takeda
Patient Support is here for you.



Shortly after enrolling, you'll receive a call from us to welcome you to the program. We'll let you know what to expect and explain how we can assist you. We're here to address your questions and concerns and help get you the answers, resources, and tools you need. We can also:

- **Enroll you** in the Takeda Patient Support Co-Pay Assistance Program, if you qualify*
- **Help you** receive your treatment when you need it
- **Arrange for** nursing support if you have questions about your condition and your prescribed Takeda treatment
- **Direct you** to community support resources and education
- **Provide you** with tips and timely information throughout your Takeda treatment

For more information, visit [TakedaPatientSupport.com](https://www.takeda.com/patient-support) or call Takeda Patient Support at **[1-855-268-1825]** Monday through Friday, 8 am to 8 pm ET.

*To be eligible, you must be enrolled in Takeda Patient Support and have commercial insurance. Other terms and conditions apply. Call us for more details.

†IMPORTANT NOTICE: The Takeda Patient Support Co-Pay Assistance Program (the Program) is not valid for prescriptions eligible to be reimbursed, in whole or in part, by Medicaid, Medicare (including Medicare Part D), Tricare, Medigap, VA, DoD, or other federal or state programs (including any medical or state prescription drug assistance programs). No claim for reimbursement of the out-of-pocket expense amount covered by the Program shall be submitted to any third party payer, whether public or private. The Program cannot be combined with any other rebate/coupon, free trial, or similar offer. Copayment assistance under the Program is not transferable. The Program only applies in the United States, including Puerto Rico and other U.S. territories, and does not apply where prohibited by law, taxed, or restricted. This does not constitute health insurance. Void where use is prohibited by your insurance provider. If your insurance situation changes, you must notify the Program immediately at **[1-855-268-1825]**. Coverage of certain administration charges will not apply for patients residing in states where it is prohibited by law. Takeda reserves the right to rescind, revoke, or amend the Program at any time without notice.

GAMMAGARD LIQUID
[Immune Globulin
Infusion (Human)] 10%

**Rediscover the joy in
the everyday. Discuss
GAMMAGARD LIQUID
with your doctor.**

Remember, MMN is treatable

With your doctor and healthcare team, getting back to your everyday may be within your reach.

Key points when considering GAMMAGARD LIQUID treatment for your MMN

- GAMMAGARD LIQUID is the first and only approved treatment for MMN
- GAMMAGARD LIQUID was demonstrated to help improve grip strength, reduce disability, and maintain dexterity
- GAMMAGARD LIQUID was shown to help with everyday tasks

VISIT gammagard.com/mmn/kit FOR MORE INFORMATION
AND TO GET YOUR STARTER KIT

IMPORTANT SAFETY INFORMATION

Who should not use GAMMAGARD LIQUID?

Do not use GAMMAGARD LIQUID if you:

- Have had a severe allergic reaction to immune globulin or other blood products.
- Have a condition called selective (or severe) immunoglobulin A (IgA) deficiency.

Please see additional Important Safety Information throughout, click for [Information for Patients](#), including Warning about Blood Clots, Decreased Kidney Function, and Kidney Failure, and discuss with your HCP.

©2023 Takeda Pharmaceuticals U.S.A., Inc. 300 Shire Way, Lexington, MA 02421. 1-800-828-2088. All rights reserved. Takeda®, the Takeda logo®, and the Takeda Patient Support logo™ are trademarks or registered trademarks of Takeda Pharmaceutical Company Limited. GAMMAGARD LIQUID is a trademark or registered trademark of Baxalta Incorporated, a Takeda company. US-GGL-0159v2.0 03/23

